


EYCS, EYCS+DA

YUVARLAK KANALLAR İÇİN ÇİFT SIRA KANATLI MENFEZLER

FOR ROUND GRILLESS
DOUBLE ROW WINGS



Egevent EYCS model yuvarlak kanal menfezleri Havalandırma sistemlerinde hava miktarını ayarlamak amacı ile kullanılır.

Egevent EYCS model circular ducts are used with the aim of adjusting the air quantity in the ventilation systems.

Özel olarak hadde edilmiş 6063 alüminyum profilden imal edilmiştir, standart kaplama işlemi Ral 9010 ve 9016 renk kodlarında elektrostatik toz boyama ile yapılmaktadır, talebe göre diğer renkler ve eloksal kaplama da yapılabilmektedir.

They are manufactured of specially rolled 6063 aluminum shape. Standard plating is done with electrostatic powder painting in RAL 9010 and 9016 color codes.



Standart vidalı üretilir. Menfez damperi ve saptırıcı kanatlar aksesuarlarıdır.

According to the demand, other colors and anodized coating can also be done. They are produced as screwed in standard. The grill damper and deflecting blades are their accessories.



DAMPERSİZ / WITHOUT DAMPER

DAMPERLİ / WITH DAMPER




$$T=(W \times \sin 12.50)+75=W \times 0.216+75 \text{ (mm)}$$


MENFEZLERİN EFEKTİF ALANLARI (m²) / EFFECTIVE AREAS OF GRILLES (m²)

		H (mm)													
		100	150	200	250	300	350	400	450	500	600	700	800	900	900
W (mm)	100	0,006	0,009	0,012	0,015	0,018	0,021	0,024	0,027	0,030	0,036	0,042	0,048	0,054	0,060
	150	0,009	0,014	0,019	0,023	0,028	0,033	0,037	0,042	0,047	0,056	0,065	0,074	0,083	0,094
	200	0,012	0,019	0,026	0,031	0,038	0,044	0,050	0,056	0,063	0,075	0,088	0,100	0,112	0,126
	250	0,015	0,023	0,031	0,039	0,047	0,054	0,062	0,069	0,077	0,092	0,107	0,123	0,138	0,154
	300	0,018	0,028	0,038	0,047	0,056	0,065	0,075	0,083	0,093	0,112	0,130	0,148	0,167	0,186
	350	0,021	0,033	0,044	0,054	0,065	0,075	0,086	0,096	0,107	0,129	0,150	0,171	0,192	0,214
400	0,024	0,037	0,050	0,062	0,075	0,086	0,099	0,111	0,124	0,148	0,172	0,197	0,221	0,248	
450	0,027	0,042	0,056	0,069	0,083	0,096	0,111	0,123	0,138	0,165	0,192	0,219	0,247	0,276	
500	0,030	0,047	0,063	0,077	0,093	0,107	0,124	0,138	0,154	0,184	0,215	0,245	0,276	0,308	

SEÇİM TABLOSU
SELECTION DIAGRAM



MONTAJ ŞEKİLLERİ
TYPES OF FIXING



SİPARİŞ NOTASYONU
HOW TO ORDER

